Voila comment faire pour une B-Box2 (Belgacom)

Tout d'abord tu dois te connecter à ta box avec un câble ethernet et non pas en wifi sinon ça ne marchera pas! Tu dois en avoir reçu un dans la boîte de ta B-Box, il est jaune.

Une fois que tu t'es connecté à ta box, tu vas sur ta page d'accueil internet et tu tapes dans la barre d'adresse l'adresse suivante: http://192.168.1.1

page est en anglais ·	Voulez-vous la traduire	? Traduir	e Non							C
belgacom										
										☆ 🖯
Ouick Start	Status									
Advanced										
Settings	INTERNET (bridged)		GATEWAY		INFORMATION			WIRELESS		
	PoE Address	10.185.78.140	LAN IP Address	3 192.168.1.1	Runtime Code Versio	on 60R10A-60A046		Associated clients	2	
	IPoE Netmask	255.255.0.0	Subnet Mask	255.255.255.0	LAN MAC Address	00:1b:bf:99:96:dd		Clients MAC Addres	2 station(s) connected s 74:f0:6d:1a:f6:6f 98:0c:82:41:c7:5d	
	PPPoE Address	91.180.60.254	DHCP Server	Enabled	WAN MAC Address	00:1b:bf:99:96:de				
	PPPoE Netmask	255.0.0.0	Firewall	Interface Level br0 Disabled eth1.20 Medium ppp0 Medium	Hardware Version	1				
	VDSL line status	SHOWTIME	Wireless	Enabled	Serial Num	LK08329DP340054				
	Downstream line rate	30048 kbps			VDSL Version	Firmware-VTU-R:5.5.1.2K105012 Ti	me Oct 1 2009, 14:04:47			
	Upstream line rate	6048 kbps								
	Downstream Training Margir	n 15.3 dB								
	Vlan list									
	VLAN 10			VLAN 20						
	Vlan id	10		Vlan id	20					
	Protocol	Wan	eth1.10 PPP	Protocol	Wa	n eth1.20 VoIP				
	IP address	91.18	30.60.254	IP address	10.	185.78.140				
	Subnet mask Gateway	255.0	30.60.1	Gateway	K 25:	185.0.1				
	DNS	195.2	238.2.21	DNS	81.	244.255.68 244.255.69				
	PPP login	fa282	2867@SKYNET	NTP	nto	.belbone.be				

Une fois que tu l'as fait, tu vas arriver sur la page de ta B-Box2.Dans la colonne de gauche, tu dois avoir écrit Advanced Settings.

							a Tanconoca a	- Twitter / Accuci		
page est en anglais • V	oulez-vous la traduire	? Traduir	e Non							Opti
holoosom										
Deigucom										
										<u>A</u> - E
	Status									
Quick Start										
Advanced	INTERNET (bridged)		GATEWAY		INFORMATION			WIRELESS		
Settings	IPoE Address	10.185.78.140	LAN IP Address	192.168.1.1	Runtime Code Version	n 60R10A-60A046		Associated clients	2	
	IPoE Netmask	255.255.0.0	Subnet Mask	255.255.255.0	LAN MAC Address	00:1b:bf.99.96:dd		Clients MAC Address	2 station(s) connected s 74:f0:6d:1a:f6:6f 98:0c:82:41:c7:5d	
	PPPoE Address	91.180.60.254	DHCP Server	Enabled	WAN MAC Address	00:1b:bf:99:96:de				
				Interface Level						
	PPPoE Notmask	255.0.0.0	Firewall	br0 Disabled eth1.20 Medium ppp0 Medium	Hardware Version	1				
	VDSL line status	SHOWTIME	Wireless	Enabled	Serial Num	LK08329DP340054				
	Downstream line rate	30048 kbps			VDSL Version	Firmware-VTU-R:5.5.1.2K105012 Time	Oct 1 2009, 14:04:47			
	Upstream line rate	6048 kbps								
	Downstream framing margin	13.3 40								
	Vian list			M AN 20						
	Vlan id	10		Vlan id	20					
	Protocol	Wan	eth1.10 PPP	Protocol	War	eth1.20 VoIP				
	IP address	91.18	30.60.254	IP address	10.1	185.78.140				
	Subnet mask	255.0	0.0.0	Subnet mask	255	.255.0.0				
	Gateway	91.18	30.60.1	Gateway	10.1	185.0.1				
	DNS	195.2	238.2.21	DNS	81.2	244.255.68				
	PPP login	fa282	867@SKYNET	NTP	ntp.	belbone.be				

Tu cliques dessus puis juste en dessous tu cliques sur Wireless.

page est en anglais -	Voulez-yous la traduire	7 Traduire	Non							Opt
g- cor cri ungiola +	,	·······································								opu
belgacom										
										ۍ ي
A suid start	Status									
 Quick Start 										
Advanced	INTERNET (bridged)		GATEWAY		INFORMATION			WIRELESS		
Securigs	IPoE Address	10.185.78.140	LAN IP Address	192.168.1.1	Runtime Code Version	60R10A-60A046		Associated clients	2	
 » Status » Home network 	IPoE Netmask	255.255.0.0	Subnet Mask	255.255.255.0	LAN MAC Address	00:1b:bf:99:96:dd		Clients MAC Address	2 station(s) connected s 74:f0:6d:1a:f6:6f 98:0c:82:41:c7:5d	
» LAN servers	PPPoE Address	91.180.60.254	DHCP Server	Enabled	WAN MAC Address	00:1b:bf:99:96:de				
				Interface Level						
» Wireless	200.5 11.1			br0 Disabled						
» Maintenance	PPPOE Netmask	255.0.0.0	Frewar	eth1.20 Medium	Hardware Version	1				
» Telephone				ppp0 Medium						
Evotom	VDSL Incistatus	SHOWTIME	Wireless	Enabled	Serial Num	LK08329DP340054				
s system	Downstream Inerate	30048 kbps			VDSL Version	Firmware-VTU-R:5.5.1.2IK105012	Time Oct 1 2009, 14:04:47			
» Firewall	Upstream line rate	6048 kbps								
» Route	Downstream Training Margin	1 15.3 00								
» Network Interfaces										
 Statistics 	Vlan list									
	VLAN 10			VLAN 20						
	Vlan id	10		Vlan id	20					
	Protocol	Wan	sth1.10 PPP	Protocol	Wan	eth1.20 VoIP				
	IP address	91.18	0.60.254	IP address	10.1	85.78.140				
	Subnet mask	255.0	.0.0	Subnet mask	255.	255.0.0				
	Gateway	91.18	0.60.1	Gateway	10.1	85.0.1				
	DNS	195.2	38.2.21 38.2.22	DNS	81.2 81.2	44.255.68 44.255.69				
	PPP login	fa282	867@SKYNET	NTP	ntp.b	belbone.be				

Normalement tu dois arriver sur une fenêtre où il y a écrit « Wireless network setup »

age est en anglais	Voulez-vous la traduire ? Traduire Non		Optic
beloocom			
oolgacom			
	[<u>n</u> 1
Quick Start	wireless		
Advanced settings	Wireless network service (802.11g)		
» Status	Wireless network service is currently: Enabled		
» Home network			
» LAN servers	You could Deactivate your Wireless WLAN service by clicking the Deactivate button.	Deactivate	
» Wireless			
» Maintenance			
» Telephone			
» System	Wireless network setup		
» Firewall	Mac address: 00:1d:6a:9a:48:78		
» Route	SSID: bbox2-96dd		
» Network	Channel: 1-2.412GHz		
. Statistics			
o Statistics	Security: WPA		
	WPA type: Passphrase		
	Passphrase:		
	encryption:		
	WPS- Disabled	Activate	

Puis tu as:

-Mac address: tu ne changes rien

-SSID: tu ne changes rien

-SSID: broadcast channel: tu ne changes rien

-Security: tu vas mettre la sécurité WPA

-WPA type: tu ne changes rien

-Passphrase: c'est un mot de passe donc tu peut mettre ce que tu veux (le nom de ton chien, de ta série tv préféré, peu importe du moment que tu le retiennes! Ton mot de passe doit contenir au moins 8 caractères, je conseille des lettres et des chiffres)

Si il y a déjà quelque chose de marqué (dans mon cas c'était fast 34x-sagem) tu l'effaces pour mettre ta clé.

-Encryption: tu ne change rien

page est en anglais -	Voulez-vous la traduire ? Traduir	e Non			Option
Settings > Status > Home network > LAN servers > Wireless	Wireless network service (802. Wireless network service is currently: You could Deactivate your Wireless W service by dicking the Deactivate bi	Enabled	Deactivate		
 Maintenance Telephone System Firewall Route Note Note Network Interfaces Statistics 	Wireless network setup Mecadress: SSID; SSID Bradeast Chanel; Security; With type; Passbrace; Encryption;	00:1d/66.194/48/78 bbox2-96dd 1-24120Hz w WPaaphrae w slain:1957 TKP w			
	WPS: Attention -Please do not use special chara - The network key (passphrase) -The network key (passphrase)	Disabled cters or spaces. Only number must be between 8 and 63 ct is case sensitive. So please I	rs and letters (without accents intertors, be careful when using Upper of Apply MAC Fil	Activate prime allowed. r Lower case letters. ter	

Ensuite tu appuies sur « Apply ».

Il va te réafficher la page où tu te trouve déjà. Tu la fermes pour retourner sur ton bureau.

Une fois que tu y es, tu double-cliques sur les 2 petits écrans en bas à droite (Ou sur ce sigle

Puis tu cliques sur « centre de réseau et partage ».

Dans la colonne de gauche, tu cliques sur « Gérer les réseaux sans fil ».

Tu vas y trouver la liste des réseaux auxquels ton pc est déjà connecté. Tu les supprimes tous! (sauf les réseaux professionnels s'il y en a).

Un cadre d'avertissement va s'afficher. Tu cliques sur ok.

Une fois les réseaux supprimés tu cliques sur ajouter, puis sur ajouter un réseau à portée de cet

ordinateur. (Si tu as ce sigle , c'est différent, tu fermes les fenêtres et vas voir un peu plus bas dans les explications.)

Dans la liste visible tu cliques sur ton réseau (donc b box2...) puis tu cliques sur connexion.

Tu auras un cadre avec écrit "sélectionnez le réseau auquel vous voulez vous connecter" tu cliques sur ton réseau puis tu mets connexion. On te demande d'introduire ta clé; tu le fais et tu cliques sur connexion. Ensuite tu coche les cases « Enregistrer ce réseau » et lancer automatiquement cette connexion puis tu mets fermer.

Et voilà! Ton réseau est à présent sécurisé! C'est un petit peu long mais ce n'est pas compliqué!! Bonne chance!

Si tu as ce sigle en dessous, clique dessus, il te donnera les réseaux sans fil proches de toi. Clique sur ton réseau puis sur « Connecter ». Une fenêtre s'ouvre et te demande d'introduire ta clé. Tu la tapes puis « Enter » et tu es connecté.